

# Safety Data Sheet

acc. to OSHA HCS


Printing date 08/17/2018

Reviewed on 08/17/2018

## 1 Identification

- **Product identifier**
- **Trade name:** ACL 140901 blue, quick drying ink, blue, premium 809
- **Application of the substance / the mixture stamp color**
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
COLOP Stempelerzeugung Skopek GmbH & Co. KG  
Dr.-Arming-Straße 5  
4600 Wels / Austria
- **Information department:** Sales, sds@colop.co.at
- **Emergency telephone number:**  
During normal opening hours: +43 (7242) 66 104  
Poision information center: +43 (1) 406 43 43

## 2 Hazard(s) identification

- **Classification of the substance or mixture**  
Flam. Liq. 4 H227 Combustible liquid.
  - **Label elements**
  - **GHS label elements**  
The product is classified and labeled according to the Globally Harmonized System (GHS).
  - **Hazard pictograms** Void
  - **Signal word** Warning
  - **Hazard statements**  
Combustible liquid.
  - **Precautionary statements**  
Keep away from flames and hot surfaces. – No smoking.  
Wear protective gloves/protective clothing/eye protection/face protection.  
In case of fire: Use for extinction: CO2, powder or water spray.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container to
  - **Classification system:**
  - **NFPA ratings (scale 0 - 4)**
- 

Health = 0  
Fire = 2  
Reactivity = 0
- **HMIS-ratings (scale 0 - 4)**
- |            |   |                |
|------------|---|----------------|
| HEALTH     | 0 | Health = 0     |
| FIRE       | 2 | Fire = 2       |
| REACTIVITY | 0 | Reactivity = 0 |
- **Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

## 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.
- **Dangerous components:**

34590-94-8	Dipropylene glycol monomethyl ether	80-90%
------------	-------------------------------------	--------

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 blue, quick drying ink, blue, premium 809

(Contd. of page 1)

## 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

## 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.
- **Protective Action Criteria for Chemicals**

- **PAC-1:**

34590-94-8	Dipropylene glycol monomethyl ether	150 ppm
------------	-------------------------------------	---------

- **PAC-2:**

34590-94-8	Dipropylene glycol monomethyl ether	1700* ppm
------------	-------------------------------------	-----------

- **PAC-3:**

34590-94-8	Dipropylene glycol monomethyl ether	9900** ppm
------------	-------------------------------------	------------

## 7 Handling and storage

- **Handling:**
- **Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Storage class:** 10

(Contd. on page 3)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

**Trade name: ACL 140901 blue, quick drying ink, blue, premium 809**

(Contd. of page 2)

· **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

· **Additional information about design of technical systems:** No further data; see item 7.

· **Control parameters**

· **Components with limit values that require monitoring at the workplace:**

### 34590-94-8 Dipropylene glycol monomethyl ether

**PEL** Long-term value: 600 mg/m<sup>3</sup>, 100 ppm  
Skin

**REL** Short-term value: 900 mg/m<sup>3</sup>, 150 ppm  
Long-term value: 600 mg/m<sup>3</sup>, 100 ppm  
Skin

**TLV** Short-term value: 909 mg/m<sup>3</sup>, 150 ppm  
Long-term value: 606 mg/m<sup>3</sup>, 100 ppm  
Skin

· **Additional information:** The lists that were valid during the creation were used as basis.

· **Exposure controls**

· **Personal protective equipment:**

· **General protective and hygienic measures:** Wash hands before breaks and at the end of work.

· **Breathing equipment:** Not required.

· **Protection of hands:**



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

**Form:** Fluid

**Color:** Blue

· **Odor:** Characteristic

· **Odor threshold:** Not determined.

· **pH-value:** Not determined.

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 blue, quick drying ink, blue, premium 809

(Contd. of page 3)

· <b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	190 °C (374 °F)
· <b>Flash point:</b>	75 °C (167 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	270 °C (518 °F)
· <b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Not determined.
· <b>Explosion limits:</b>	
<b>Lower:</b>	1.1 Vol %
<b>Upper:</b>	14 Vol %
· <b>Vapor pressure at 20 °C (68 °F):</b>	0.4 hPa (0.3 mm Hg)
· <b>Density at 20 °C (68 °F):</b>	0.95 g/cm <sup>3</sup> (7.92775 lbs/gal)
· <b>Bulk density at 20 °C (68 °F):</b>	- kg/m <sup>3</sup>
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Fully miscible.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	80-90 %
<b>VOC content:</b>	80-90 %
<b>Solids content:</b>	0.0 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Sensitization:** No sensitizing effects known.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

**Trade name: ACL 140901 blue, quick drying ink, blue, premium 809**

(Contd. of page 4)

· **Additional toxicological information:**

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

## 12 Ecological information

· **Toxicity**

· **Aquatic toxicity:** No further relevant information available.

· **Persistence and degradability** No further relevant information available.

· **Behavior in environmental systems:**

· **Bioaccumulative potential** No further relevant information available.

· **Mobility in soil** No further relevant information available.

· **Additional ecological information:**

· **General notes:**

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

## 13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

· **UN-Number**

· **DOT** UN1993

· **UN proper shipping name**

-

· **Transport hazard class(es)**

· **DOT**

· **Class** 3 Flammable liquids

· **Label**

3

· **Packing group**

· **DOT** III

· **Environmental hazards:**

· **Marine pollutant:** Yes

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

**Trade name: ACL 140901 blue, quick drying ink, blue, premium 809**

(Contd. of page 5)

· **Special precautions for user** *Not applicable.*

· **Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable.*

## 15 Regulatory information

· **Safety, health and environmental regulations/legislation specific for the substance or mixture**  
 · **Sara**

· **Section 355 (extremely hazardous substances):**

*None of the ingredients is listed.*

· **Section 313 (Specific toxic chemical listings):**

*None of the ingredients is listed.*

· **TSCA (Toxic Substances Control Act):**

*All ingredients are listed.*

· **Proposition 65**

· **Chemicals known to cause cancer:**

*None of the ingredients is listed.*

· **Chemicals known to cause reproductive toxicity for females:**

*None of the ingredients is listed.*

· **Chemicals known to cause reproductive toxicity for males:**

*None of the ingredients is listed.*

· **Chemicals known to cause developmental toxicity:**

*None of the ingredients is listed.*

· **Carcinogenic categories**

· **EPA (Environmental Protection Agency)**

*None of the ingredients is listed.*

· **TLV (Threshold Limit Value established by ACGIH)**

*None of the ingredients is listed.*

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

*None of the ingredients is listed.*

· **GHS label elements**

*The product is classified and labeled according to the Globally Harmonized System (GHS).*

· **Hazard pictograms** *Void*

· **Signal word** *Warning*

· **Hazard statements**

*Combustible liquid.*

· **Precautionary statements**

*Keep away from flames and hot surfaces. – No smoking.*

*Wear protective gloves/protective clothing/eye protection/face protection.*

*In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.*

*Store in a well-ventilated place. Keep cool.*

*Dispose of contents/container to*

· **Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Contact:** *Sales: +43 (7242) 66 104*

(Contd. on page 7)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 08/17/2018

Reviewed on 08/17/2018

**Trade name: ACL 140901 blue, quick drying ink, blue, premium 809**

(Contd. of page 6)

· **Date of preparation / last revision** 08/17/2018 / -

· **Abbreviations and acronyms:**

*RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)*

*IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)*

*ICAO: International Civil Aviation Organisation*

*ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)*

*DOT: US Department of Transportation*

*ACGIH: American Conference of Governmental Industrial Hygienists*

*EINECS: European Inventory of Existing Commercial Chemical Substances*

*ELINCS: European List of Notified Chemical Substances*

*CAS: Chemical Abstracts Service (division of the American Chemical Society)*

*NFPA: National Fire Protection Association (USA)*

*HMS: Hazardous Materials Identification System (USA)*

*VOC: Volatile Organic Compounds (USA, EU)*

*PBT: Persistent, Bioaccumulative and Toxic*

*vPvB: very Persistent and very Bioaccumulative*

*NIOSH: National Institute for Occupational Safety*

*OSHA: Occupational Safety & Health*

*TLV: Threshold Limit Value*

*PEL: Permissible Exposure Limit*

*REL: Recommended Exposure Limit*

*Flam. Liq. 4: Flammable liquids – Category 4*

· **\* Data compared to the previous version altered.**

US