

Trodat Maxlight Premium Ink Black

Trodat GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 1 / 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trodat Maxlight Premium Ink Black

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Ink

1.2.2 Uses advised against

None known.

1.3 Details of the supplier of the safety data sheet

Company Trodat GmbH
Linzerstr. 156
4600 Wels / AUSTRIA
Phone +43 (0) 7242 239 - 0
Fax +43 (0) 7242 239 - 940
Homepage [at@trod](http://www.trodat.net
E-mail <a href=)at.net

Address enquiries to

Technical information [**Safety Data Sheet** \[sdb@chemiebuero.de\]\(mailto:sdb@chemiebuero.de\)](mailto:trodat@trodat.net</p></div><div data-bbox=)

1.4 Emergency telephone number

Advisory body +43 (0) 1 406 43 43 (24h)

Company +43 (0) 7242 239 - 0 Mo-Fr 8:00 - 16:00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Eye Dam. 1: H318 Causes serious eye damage.
Skin Irrit. 2: H315 Causes skin irritation.
Skin Sens. 1: H317 May cause an allergic skin reaction.

2.2 Label elements

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

Hazard pictograms



Signal word

DANGER

Hazard statements

H318 Causes serious eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P261 Avoid breathing vapors/spray.
P264 Wash hands thoroughly after handling.
P302+P352 IF ON SKIN: Wash with plenty of water/soap.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P280 Wear protective gloves/eye protection/face protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P362+P364 Take off contaminated clothing and wash it before reuse.
P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.

Trodat Maxlight Premium Ink Black

Trodat GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 2 / 13

2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge.

SECTION 3: Composition / Information on ingredients**3.1 Substances**

not applicable

3.2 Mixtures

The product is a mixture.

Range [%]	Substance
35 - 45	2-Ethylhexane-1,3-diol CAS: 94-96-2
7 - 10	2-methylpentane-2,4-diol CAS: 107-41-5
7 - 10	Rosin ester
5 - 8	C.I. Solvent Black 5 CAS: 11099-03-9
4 - 8	C.I. Solvent Black 7 CAS: 8005-02-5

Comment on component parts none

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information	Take off contaminated clothing and wash before reuse.
Inhalation	Ensure supply of fresh air. Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
Skin contact	In case of contact with skin wash off immediately with water. If skin irritation or rash occurs: Get medical advice/attention.
Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor immediately. Shield unaffected eye.
Ingestion	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed

No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Fire-fighting measures**5.1 Extinguishing media**

Suitable extinguishing media	foam, dry powder, water spray jet, carbon dioxide
Extinguishing media that must not be used	Full water jet.

Trodax Maxlight Premium Ink Black

Trodax GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 3 / 13

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.
Not combusted hydrocarbons.
Carbon monoxide (CO)
Carbon dioxide (CO₂)
Nitrogen oxides (NO_x).

5.3 Advice for firefighters

Use self-contained breathing apparatus.
Cool containers at risk with water spray jet.
Collect contaminated firefighting water separately, must not be discharged into the drains.
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.
Wear suitable protective equipment. For personal protection see SECTION 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).
Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).
Dispose of absorbed material in accordance with the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use only in well-ventilated areas.
Avoid formation of aerosols.
Avoid contact with eyes and skin. Use personal protective equipment.
Keep away from open flames, hot surfaces and sources of ignition.
Do not eat, drink, smoke or take drugs at work.
Wash face and/or hands before break and end of work.
Use barrier skin cream.
Take off contaminated clothing and wash before reuse.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.
Prevent penetration into the ground.
Provide floor with bunding.
Do not store together with oxidizing agents.
Do not store together with reducing agents.
Do not store together with acids.
Keep container in a well-ventilated place.
Keep container tightly closed.
Protect from heat/overheating and from sun.
Keep in a cool place. Store in a dry place.

7.3 Specific end use(s)

See product use, SECTION 1.2

Trodar Maxlight Premium Ink Black

Trodar GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 4 / 13

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (US)

Substance
2-methylpentane-2,4-diol
CAS: 107-41-5
Long-term exposure: 25 ppm, 125 mg/m ³ , NIOSH

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Tightly fitting goggles. (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,7 mm: Butyl rubber, >480 min (EN 374-1/-2/-3).
Skin protection	Protective clothing (EN 340) Avoid contact with eyes and skin. Do not breathe vapor/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

Trodat Maxlight Premium Ink Black

Trodat GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 5 / 13

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

Physical state	Viscous liquid
Color	black
Odor	mild
Odor threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/ml]	No information available.
Bulk density [kg/m ³]	not applicable
Solubility in water	soluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	No information available.
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature	not self-igniting
Decomposition temperature [°C]	No information available.
Particle characteristics	not applicable

9.2 Other information

none

SECTION 10: Stability and reactivity**10.1 Reactivity**

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactionsReactions with acids.
Reactions with strong oxidizing agents.
Reactions with reducing agents.**10.4 Conditions to avoid**Strong heating.
Keep away from open flames, hot surfaces and sources of ignition.

Trodat Maxlight Premium Ink Black

Trodat GmbH

4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 6 / 13

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.
In the event of fire: See SECTION 5.

Trodar Maxlight Premium Ink Black

Trodar GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 7 / 13

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute oral toxicity

Product
ATE-mix, oral, > 2000 mg/kg,
Substance
2-Ethylhexane-1,3-diol, CAS: 94-96-2
LD50, oral, Rat, > 2000 mg/kg,
2-methylpentane-2,4-diol, CAS: 107-41-5
LD50, oral, Rat, 3692 mg/kg (IUCLID),
Rosin ester
LC50, oral, Rat, 5000 mg/kg,
C.I. Solvent Black 7, CAS: 8005-02-5
ATE, oral, 500 mg/kg,

Acute dermal toxicity

Product
ATE-mix, dermal, > 2000 mg/kg,
Substance
2-Ethylhexane-1,3-diol, CAS: 94-96-2
LD50, dermal, Rabbit, > 2000 mg/kg,
2-methylpentane-2,4-diol, CAS: 107-41-5
LD50, dermal, Rat, 8000 mg/kg (RTECS),
C.I. Solvent Black 7, CAS: 8005-02-5
ATE, dermal, 1100 mg/kg,

Acute inhalational toxicity

Product
ATE-mix, inhalativ (vapor), > 20 mg/kg,
Substance
C.I. Solvent Black 7, CAS: 8005-02-5
ATE, inhalativ (mist), 1,5 mg/l,

Serious eye damage/irritation

Risk of serious damage to eyes.
Calculation method

Skin corrosion/irritation

Irritant
Calculation method

Respiratory or skin sensitisation

May cause an allergic skin reaction.
Calculation method

**Specific target organ toxicity —
single exposure**

Based on the information available, the classification criteria have not been fulfilled.

**Specific target organ toxicity —
repeated exposure**

Based on the information available, the classification criteria have not been fulfilled.

Substance
2-Ethylhexane-1,3-diol, CAS: 94-96-2
NOAEL, dermal, Rat, 1884 mg/kg bw/day,

Trodat Maxlight Premium Ink Black

Trodat GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 8 / 13

NOAEL, oral, Rat, 100 mg/kg bw/day,

2-methylpentane-2,4-diol, CAS: 107-41-5

NOAEL, oral, Rat, 450 mg/kg bw/day,

Mutagenicity Based on the information available, the classification criteria have not been fulfilled.**Reproduction toxicity** Based on the information available, the classification criteria have not been fulfilled.

Substance

2-Ethylhexane-1,3-diol, CAS: 94-96-2

NOAEL, dermal, Rat, 942 mg/kg bw/d (Effect on developmental toxicity),

NOAEL, oral, Rat, 1000 mg/kg bw/d (Effect on developmental toxicity),

NOAEL, dermal, Rat, 3768 mg/kg bw/d (Effect on fertility),

2-methylpentane-2,4-diol, CAS: 107-41-5

NOAEL, oral, Rat, 300 mg/kg bw/d (Effect on developmental toxicity),

NOAEL, oral, Rat, 500 mg/kg bw/d (Effect on fertility),

Carcinogenicity Based on the information available, the classification criteria have not been fulfilled.

Substance

2-Ethylhexane-1,3-diol, CAS: 94-96-2

NOAEL, dermal, mouse, 215 mg/kg bw/day,

Aspiration hazard Based on the information available, the classification criteria have not been fulfilled.**General remarks** May cause respiratory tract irritation.

Toxicological data of complete product are not available.
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 12: Ecological information**12.1 Toxicity**

Substance

2-Ethylhexane-1,3-diol, CAS: 94-96-2

EC50, (24h), Daphnia magna, 811 mg/l,

LC0, (48h), Leuciscus idus, > 1000 mg/l,

EC10, Pseudomonas putida, 1300 mg/l (18 h),

2-methylpentane-2,4-diol, CAS: 107-41-5

LC50, (96h), Gambusia affinis, 8510 mg/l (ECOTOX),

EC50, (48h), Daphnia magna, 3200 mg/l (IUCLID),

12.2 Persistence and degradability**Behaviour in environment compartments** No information available.**Behaviour in sewage plant** No information available.**Biological degradability** CAS 107-41-5: > 70%, 28d, OECD 302B (Lit.)**12.3 Bioaccumulative potential**

CAS 94-96-2: log Pow: 1,6 (Lit.)

CAS 107-41-5: log Pow: 0,58 (Lit.)

Trodax Maxlight Premium Ink Black

Trodax GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 9 / 13

12.4 Mobility in soil

Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Ecological data of complete product are not available.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Contaminated packaging

Packaging that cannot be cleaned should be disposed of as for product.

Uncontaminated packaging may be taken for recycling.

RCRA Hazard Class (40CFR 261)

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

SECTION 14: Transport

14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

DOT Road Shipment Information (49 CFR) not applicable

Trodat Maxlight Premium Ink Black

**Trodat GmbH
4600 Wels**

Date printed 23.02.2021, Revision 23.02.2021 Version 04. Supersedes version: 03 Page 10 / 13

14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS
Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
DOT Road Shipment Information (49 CFR)	NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable
DOT Road Shipment Information (49 CFR)	not applicable

14.4 Packing group

Transport by land according to ADR/RID	not applicable
Inland navigation (ADN)	not applicable
Marine transport in accordance with IMDG	not applicable
Air transport in accordance with IATA	not applicable
DOT Road Shipment Information (49 CFR)	not applicable

Trodax Maxlight Premium Ink Black

Trodax GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021	Version 04. Supersedes version: 03	Page 11 / 13
--	------------------------------------	--------------

14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

DOT Road Shipment Information (49 CFR) no

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

US Regulations

National regulations	29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65
- SARA, 302	No information available.
- SARA, 311	Serious eye damage Skin Irritation Skin Sensitization
- SARA, 313	This product does not contain any ingredients regulated under this list.
- CA Proposition 65	No chemical substances in this material are named on the California P65 list.
- TSCA	All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.
- FDA	No information available.
American Conference of Governmental Industrial Hygienists - ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
International Agency for Research on Cancer IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
National Toxicology Program - NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
HAP-VOC	No information available.
Transport-regulations	DOT-Classification, ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

15.2 Chemical safety assessment

For this product a chemical safety assessment has not been carried out.

Trodax Maxlight Premium Ink Black

Trodax GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 12 / 13

SECTION 16: Other information

16.1 Abbreviations and acronyms:

ACGIH = American Conference of Governmental Industrial Hygienists;
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;
CAS = Chemical Abstracts Service;
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;
CFR = Code of Federal Regulations;
CPR = Controlled Products Regulations;
DMEL = Derived Minimum Effect Level;
DNEL = Derived No Effect Level;
DOT = Department of Transportation;
EC50 = Median effective concentration;
EPA = Environmental Protection Agency;
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;
IATA = International Air Transport Association;
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IC50 = Inhibition concentration, 50%;
IMDG = International Maritime Code for Dangerous Goods;
IARC = International Agency of Research on Cancer;
IATA = International Air Transport Association;
TSCA = Toxic Substance Control Act;
HMIS = Hazardous Materials Identification System;
NFPA = National Fire Protection Association;
NIOSH = National Institute for Occupational Safety and Health;
OSHA = Occupational Safety and Health Administration;
LC50 = Lethal concentration, 50%;
LD50 = Median lethal dose, 50%;
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;
PBT = Persistent, Bioaccumulative and Toxic substance;
PNEC = Predicted No-Effect Concentration;
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;
SARA = Superfund Amendments and Reauthorization Act;
TLV@TWA = Threshold limit value – time-weighted average;
TLV@STEL = Threshold limit value – short-time exposure limit;
VOC = Volatile Organic Compounds;
vPvB = very Persistent and very Bioaccumulative;

16.2 Ratings

Trodax Maxlight Premium Ink Black

Trodax GmbH
4600 Wels

Date printed 23.02.2021, Revision 23.02.2021

Version 04. Supersedes version: 03

Page 13 / 13

NFPA Ratings



TOP, FLAMMABILITY: 1 - Slight Hazard
LEFT, HEALTH: 3 - Severe Hazard
RIGHT, REACTIVITY: 0 - Minimal Hazard
BOTTOM, SPECIAL NOTICE: -

HMIS Ratings

HEALTH	3
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

3 - Severe Hazard
1 - Slight Hazard
0 - Minimal Hazard
X - Personal protection rating to be supplied by user depending on use conditions

PERSONAL PROTECTION:

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

Modified position

SECTION 2 deleted: Aniline
SECTION 3 deleted: Aniline
SECTION 11 deleted: This product contains one or more substance(s) of categorie Carc. 2 (CLP).
SECTION 11 deleted: This product contains one or more substance(s) of Muta. 2 (CLP).



Copyright: Chemiebüro®

