

**Trod**at Maxlight Premium Ink Blue

**Trod**at GmbH  
4600 Wels

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 1 / 12

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1 Product identifier**

**Trod**at Maxlight Premium Ink Blue

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

**1.2.1 Relevant uses**

Ink

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Trodat GmbH  
Linzerstr. 156  
4600 Wels / AUSTRIA  
Phone +43 (0) 7242 239 - 0  
Fax +43 (0) 7242 239 - 940  
Homepage www.trod

**Address enquiries to**

**Technical information** trodat@trodat.net  
**Safety Data Sheet** sdb@chemiebuero.de

**1.4 Emergency telephone number**

**Advisory body** +43 (0) 1 406 43 43 (24h)  
**Company** +43 (0) 7242 239 - 0 Mo-Fr 8:00 - 16:00

**SECTION 2: Hazards identification**

**2.1 Classification of the substance or mixture**

Eye Dam. 1: H318 Causes serious eye damage.  
Skin Irrit. 2: H315 Causes skin irritation.  
Skin Sens. 1: H317 May cause an allergic skin reaction.  
Acute Tox. 4: H302+H332 Harmful if swallowed or if inhaled.

**2.2 Label elements**

The product is classified as hazardous in accordance to OSHA Standard 29 CFR 1910.1200 (HCS 2012)

**Hazard pictograms**



**Signal word**

DANGER

**Hazard statements**

H318 Causes serious eye damage.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H302+H332 Harmful if swallowed or if inhaled.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P264 Wash thoroughly after handling with plenty of water and soap.  
P271 Use only outdoors or in a well-ventilated area.  
P280 Wear protective gloves/eye protection/face protection.  
P302+P352 IF ON SKIN: Wash with plenty of water/soap.  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P362+P364 Take off contaminated clothing and wash it before reuse.  
P501 Dispose of contents/container to in accordance with local/regional/national/international regulation.

## Trodat Maxlight Premium Ink Blue

Trodat GmbH  
4600 Wels

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 2 / 12

**2.3 Other hazards**

Other hazards Further hazards were not determined with the current level of knowledge.

**SECTION 3: Composition / Information on ingredients****3.1 Substances**

The product is a mixture.

**3.2 Mixtures**

Range [%]	Substance
25 - 35	(Z)-N-metil-N-(1-oxo-9-octadecenil)glicina CAS: 110-25-8
20 - 30	2-Ethylhexane-1,3-diol CAS: 94-96-2
10 - 15	Rosin ester
5 - 10	2-methylpentane-2,4-diol CAS: 107-41-5
5 - 10	C.I. Basic Blue 7 CAS: 2390-60-5

Comment on component parts None.

**SECTION 4: First aid measures****4.1 Description of first aid measures**

<b>General information</b>	Take off contaminated clothing and wash before reuse.
<b>Inhalation</b>	Ensure supply of fresh air. Remove the victim into fresh air and keep him calm. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with water. If skin irritation or rash occurs: Get medical advice/attention.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor immediately. Shield unaffected eye.
<b>Ingestion</b>	Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.

**4.2 Most important symptoms and effects, both acute and delayed**Irritant effects  
Allergic reactions**4.3 Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Fire-fighting measures****5.1 Extinguishing media**

<b>Suitable extinguishing media</b>	foam, dry powder, water spray jet, carbon dioxide
<b>Extinguishing media that must not be used</b>	Full water jet.

**Trodax Maxlight Premium Ink Blue**

**Trodax GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 3 / 12

**5.2 Special hazards arising from the substance or mixture**

Risk of formation of toxic pyrolysis products.  
Not combusted hydrocarbons.  
Carbon monoxide (CO)  
Carbon dioxide (CO<sub>2</sub>)  
Nitrogen oxides (NO<sub>x</sub>).

**5.3 Advice for firefighters**

Use self-contained breathing apparatus.  
Cool containers at risk with water spray jet.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.  
Collect contaminated firefighting water separately, must not be discharged into the drains.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.  
Wear suitable protective equipment. For personal protection see SECTION 8.

**6.2 Environmental precautions**

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.  
In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.

**6.3 Methods and material for containment and cleaning up**

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth).  
Dispose of absorbed material in accordance with the regulations.

**6.4 Reference to other sections**

See SECTION 8+13

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Use only in well-ventilated areas.  
Avoid formation of aerosols.  
Avoid contact with eyes and skin. Use personal protective equipment.  
Keep away from open flames, hot surfaces and sources of ignition.  
Do not eat, drink, smoke or take drugs at work.  
Wash face and/or hands before break and end of work.  
Use barrier skin cream.  
Take off contaminated clothing and wash before reuse.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep only in original container.  
Prevent penetration into the ground.  
Provide floor with bunding.  
Do not store together with oxidizing agents.  
Do not store together with reducing agents.  
Do not store together with acids.  
Keep container in a well-ventilated place.  
Keep container tightly closed.  
Protect from heat/overheating and from sun.  
Keep in a cool place. Store in a dry place.

**Trodar Maxlight Premium Ink Blue**

**Trodar GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 4 / 12

**7.3 Specific end use(s)**

See product use, SECTION 1.2

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Ingredients with occupational exposure limits to be monitored (US)**

Substance
2-methylpentane-2,4-diol
CAS: 107-41-5
Long-term exposure: 25 ppm, 125 mg/m <sup>3</sup> , NIOSH

**8.2 Exposure controls**

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
<b>Eye protection</b>	Tightly fitting goggles. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. 0,7 mm: Butyl rubber, >480 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Protective clothing (EN 340)  Avoid contact with eyes and skin. Do not breathe vapor/spray. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
<b>Respiratory protection</b>	In the event of occupational exposure limits being exceeded or of inadequate ventilation: wear appropriate respiratory protection. Short term: filter apparatus, combination filter A-P2.
<b>Thermal hazards</b>	not applicable
<b>Delimitation and monitoring of the environmental exposition</b>	Protect the environment by applying appropriate control measures to prevent or limit emissions.

## Trodat Maxlight Premium Ink Blue

Trodat GmbH

4600 Wels

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 5 / 12

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Form	Viscous liquid
Color	blue
Odor	mild
Odor threshold	No information available.
pH-value	No information available.
pH-value [1%]	No information available.
Boiling point [°C]	No information available.
Flash point [°C]	not applicable
Flammability [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapor pressure/gas pressure [kPa]	No information available.
Density [g/ml]	No information available.
Bulk density [kg/m <sup>3</sup> ]	not applicable
Solubility in water	No information available.
Partition coefficient [n-octanol/water]	No information available.
Viscosity	No information available.
Relative vapor density determined in air	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Autoignition temperature [°C]	not self-igniting
Decomposition temperature [°C]	No information available.

**9.2 Other information**

none

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No dangerous reactions known if used as directed.

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

Reactions with reducing agents.  
Reactions with acids.  
Reactions with strong oxidizing agents.

**10.4 Conditions to avoid**

Strong heating.  
Keep away from open flames, hot surfaces and sources of ignition.

**10.5 Incompatible materials**

See SECTION 10.3.

**Trodar Maxlight Premium Ink Blue**

**Trodar GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 6 / 12

**10.6 Hazardous decomposition products**

No dangerous reactions known if used as directed.  
In the event of fire: See SECTION 5.

**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

Product
ATE-mix, inhalativ (mist), 3,9 - 5,48 mg/l/4h.
ATE-mix, dermal, > 2000 mg/kg.
ATE-mix, oral, 1000 mg/kg.
Substance
2-Ethylhexane-1,3-diol, CAS: 94-96-2
LD50, oral, Rat: > 2000 mg/kg.
LD50, dermal, Rabbit: > 2000 mg/kg.
(Z)-N-metil-N-(1-oxo-9-octadecenil)glicina, CAS: 110-25-8
LD50, oral, Rat: >2000 mg/kg bw.
LC50, inhalative, Rat: 1,37 mg/L (4h).
2-methylpentane-2,4-diol, CAS: 107-41-5
LD50, dermal, Rat: 8000 mg/kg (RTECS).
LD50, oral, Rat: 3692 mg/kg (IUCLID).
C.I. Basic Blue 7, CAS: 2390-60-5
ATE, oral, 100 mg/kg.

<b>Serious eye damage/irritation</b>	Risk of serious damage to eyes. Calculation method
<b>Skin corrosion/irritation</b>	Irritant Calculation method
<b>Respiratory or skin sensitisation</b>	May cause an allergic skin reaction. Calculation method
<b>Specific target organ toxicity — single exposure</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>Mutagenicity</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>Reproduction toxicity</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>Carcinogenicity</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>Aspiration hazard</b>	Based on the information available, the classification criteria have not been fulfilled.
<b>General remarks</b>	May cause respiratory tract irritation. Toxicological data of complete product are not available.

## Trodat Maxlight Premium Ink Blue

Trodat GmbH  
4600 Wels

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 7 / 12

**SECTION 12: Ecological information****12.1 Toxicity**

Substance
2-Ethylhexane-1,3-diol, CAS: 94-96-2
EC50, (24h), Daphnia magna: 811 mg/l.
LC0, (48h), Leuciscus idus: > 1000 mg/l.
EC10, Pseudomonas putida: 1300 mg/l (18 h).
(Z)-N-metil-N-(1-oxo-9-octadecenil)glicina, CAS: 110-25-8
LC50, (96h), Danio rerio: 1 - 10 mg/L.
EC50, (48h), Daphnia magna: 0,68 mg/L.
2-methylpentane-2,4-diol, CAS: 107-41-5
LC50, (96h), Gambusia affinis: 8510 mg/l (ECOTOX).
EC50, (48h), Daphnia magna: 3200 mg/l (IUCLID).

**12.2 Persistence and degradability**

<b>Behaviour in environment compartments</b>	No information available.
<b>Behaviour in sewage plant</b>	No information available.
<b>Biological degradability</b>	CAS 107-41-5: > 70%, 28d OECD 302B (Lit.)

**12.3 Bioaccumulative potential**

CAS 107-41-5: log Pow: 0,58 (Lit.)  
CAS 94-96-2: log Pow: 1,6 (Lit.)

**12.4 Mobility in soil**

No information available.

**12.5 Results of PBT and vPvB assessment**

No information available.

**12.6 Other adverse effects**

Ecological data of complete product are not available.  
The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.  
Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

Coordinate disposal with the authorities if necessary.  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Contaminated packaging**

Packaging that cannot be cleaned should be disposed of as for product.  
Uncontaminated packaging may be taken for recycling.

**RCRA Hazard Class (40CFR 261)**

Waste must be disposed of in accordance with federal, state and local environmental control regulations. Consult your local or regional authorities.

**Trodax Maxlight Premium Ink Blue**

**Trodax GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 8 / 12

**SECTION 14: Transport**

**14.1 UN number**

Transport by land according to ADR/RID 3082

Inland navigation (ADN) 3082

Marine transport in accordance with IMDG 3082

Air transport in accordance with IATA 3082

DOT Road Shipment Information (49 CFR) 3082

**14.2 UN proper shipping name**

Transport by land according to ADR/RID Environmentally hazardous substance, liquid, n.o.s. ((Z)-N-methyl-N-(oxo-9-octadecenyl)glycin)

- Classification Code M6

- Label



- ADR LQ 5 I

- ADR 1.1.3.6 (8.6)

Transport category (tunnel restriction code) 3 (-)

Inland navigation (ADN) Environmentally hazardous substance, liquid, n.o.s. ((Z)-N-methyl-N-(oxo-9-octadecenyl)glycin)

- Classification Code M6

- Label



Marine transport in accordance with IMDG Environmentally hazardous substance, liquid, n.o.s. ((Z)-N-methyl-N-(oxo-9-octadecenyl)glycin)

- EMS F-A, S-F

- Label



- IMDG LQ 5 I

Air transport in accordance with IATA Environmentally hazardous substance, liquid, n.o.s. ((Z)-N-methyl-N-(oxo-9-octadecenyl)glycin)

- Label



DOT Road Shipment Information (49 CFR) UN/NA 3082 Environmentally hazardous substance, liquid, n.o.s. ((Z)-N-methyl-N-(oxo-9-octadecenyl)glycin) 9 III

- Label



**Trodax Maxlight Premium Ink Blue**

**Trodax GmbH**

**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020 Version 03. Supersedes version: 02 Page 9 / 12

**14.3 Transport hazard class(es)**

Transport by land according to ADR/RID 9

Inland navigation (ADN) 9

Marine transport in accordance with IMDG 9

Air transport in accordance with IATA 9

DOT Road Shipment Information (49 CFR) 9

**14.4 Packing group**

Transport by land according to ADR/RID III

Inland navigation (ADN) III

Marine transport in accordance with IMDG III

Air transport in accordance with IATA III

DOT Road Shipment Information (49 CFR) III

**14.5 Environmental hazards**

Transport by land according to ADR/RID yes

Inland navigation (ADN) yes

Marine transport in accordance with IMDG MARINE POLLUTANT

Air transport in accordance with IATA yes

DOT Road Shipment Information (49 CFR) yes

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

No information available.

**Trodar Maxlight Premium Ink Blue**

**Trodar GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 10 / 12

**SECTION 15: Regulatory information**

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**US Regulations**

**National regulations**

29 CFR 1910.1200-HCS 2012, OSHA-PEL, ACGIH-TLV, NTP, IARC, SARA Title III, NFPA, TSCA, California - Prop. 65

**- SARA, 302**

This product does not contain any ingredients regulated under this list.

**- SARA, 311**

Serious eye damage  
Skin Sensitization  
Skin Irritation  
Acute toxicity (oral, inhal.)

**- SARA, 313**

This product does not contain any ingredients regulated under this list.

**- CA Proposition 65**

No chemical substances in this material are named on the California P65 list.

**- TSCA**

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory.

**- FDA**

No information available.

**American Conference of  
Governmental Industrial Hygienists -  
ACGIH**

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**International Agency for Research on  
Cancer IARC**

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**National Toxicology Program - NTP**

No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

**HAP-VOC**

This product does not contain HAP's.

**Transport-regulations**

DOT-Classification, ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2020)

**15.2 Chemical safety assessment**

For this product a chemical safety assessment has not been carried out.

Trodax GmbH  
4600 Wels

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 11 / 12

**SECTION 16: Other information**

**16.1 Abbreviations and acronyms:**

ACGIH = American Conference of Governmental Industrial Hygienists;  
ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route;  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses;  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure;  
CAS = Chemical Abstracts Service;  
CERCLA = Comprehensive Environmental Response, Compensation and Liability Act;  
CFR = Code of Federal Regulations;  
CPR = Controlled Products Regulations;  
DMEL = Derived Minimum Effect Level;  
DNEL = Derived No Effect Level;  
DOT = Department of Transportation;  
EC50 = Median effective concentration;  
EPA = Environmental Protection Agency;  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals;  
IATA = International Air Transport Association;  
IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;  
IC50 = Inhibition concentration, 50%;  
IMDG = International Maritime Code for Dangerous Goods;  
IARC = International Agency of Research on Cancer;  
IATA = International Air Transport Association;  
TSCA = Toxic Substance Control Act;  
HMIS = Hazardous Materials Identification System;  
NFPA = National Fire Protection Association;  
NIOSH = National Institute for Occupational Safety and Health;  
OSHA = Occupational Safety and Health Administration;  
LC50 = Lethal concentration, 50%;  
LD50 = Median lethal dose, 50%;  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships;  
PBT = Persistent, Bioaccumulative and Toxic substance;  
PNEC = Predicted No-Effect Concentration;  
REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals;  
SARA = Superfund Amendments and Reauthorization Act;  
TLV®/TWA = Threshold limit value – time-weighted average;  
TLV®STEL = Threshold limit value – short-time exposure limit;  
VOC = Volatile Organic Compounds;  
vPvB = very Persistent and very Bioaccumulative;

**Trodar Maxlight Premium Ink Blue**

**Trodar GmbH**  
**4600 Wels**

Date printed 21.07.2020, Revision 21.07.2020

Version 03. Supersedes version: 02

Page 12 / 12

**16.2 Ratings**

**NFPA Ratings**



TOP, FLAMMABILITY: 1 - Slight Hazard  
LEFT, HEALTH: 2 - Moderate Hazard  
RIGHT, REACTIVITY: 0 - Minimal Hazard  
BOTTOM, SPECIAL NOTICE: -

**HMIS Ratings**

HEALTH	2
FLAMMABILITY	1
PHYSICAL HAZARD	0
PERSONAL PROTECTION	X

2 - Moderate Hazard  
1 - Slight Hazard  
0 - Minimal Hazard  
X - Personal protection rating to be supplied by user depending on use conditions

**PERSONAL PROTECTION:**

- A - Safety Glasses
- B - Safety Glasses and Gloves
- C - Safety Glasses, Gloves and Protection Apron
- D - Face Shield, Gloves and Protection Apron
- E - Safety Glasses, Gloves and Dust Respirator
- F - Safety Glasses, Gloves, Protection Apron and Dust Respirator
- G - Safety Glasses, Gloves and Vapor Respirator.
- H - Splash Goggles, Gloves, Protection Apron and Vapor Respirator.
- I - Safety Glasses, Gloves, Dust Respirator and Vapor Respirator.
- J - Splash Goggles, Gloves, Protection Apron, Dust Respirator and Vapor Respirator.
- K - Airline Mask or Hood, Gloves, Full Suit and Boots.
- X - Personal protection rating to be supplied by user depending on use conditions

**Modified position**

none



Copyright: Chemiebüro®

