Printing date 08/17/2018

Reviewed on 08/17/2018

1 Identification

- · Product identifier
- Trade name: ACL 140901 red, quick drying ink, red, premium 809
- · Application of the substance / the mixture stamp color
- Details of the supplier of the safety data sheet · Manufacturer/Supplier: COLOP Stempelerzeugung Skopek GmbH & Co. KG Dr.-Arming-Straße 5 4600 Wels / Austria
- · Information department: Sales, sds@colop.co.at
- Emergency telephone number:
- During normal opening hours: +43 (7242) 66 104 Poision information center: +43 (1) 406 43 43

2 Hazard(s) identification

· Classification of the substance or mixture

Flam. Liq. 4 H227 Combustible liquid.

· Label elements

- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms Void
- · Signal word Warning
- · Hazard statements
- Combustible liquid.
- · Precautionary statements
- Keep away from flames and hot surfaces. No smoking.
- Wear protective gloves/protective clothing/eye protection/face protection.
- In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep cool.
- Dispose of contents/container to
- · Classification system:
- · NFPA ratings (scale 0 4)

Health = 0

- Fire = 2Reactivity = 0
- · HMIS-ratings (scale 0 4)

| HEALTH | 0 | Health = 0 |
|------------|---|----------------|
| | | Fire = 2 |
| REACTIVITY | 0 | Reactivity = 0 |
| | | |

· Other hazards

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

34590-94-8 Dipropylene glycol monomethyl ether

80-90%

(Contd. on page 2)

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 red, quick drying ink, red, premium 809

(Contd. of page 1)

4 First-aid measures

- · Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 *Fire-fighting measures*

- · Extinguishing media
- Suitable extinguishing agents:
- CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: Wear self-contained respiratory protective device.

6 Accidental release measures

- *Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.*
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Ensure adequate ventilation.
- · Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.
- Protective Action Criteria for Chemicals

| · PAC-1: | |
|--|------------|
| 34590-94-8 Dipropylene glycol monomethyl ether | 150 ppm |
| • PAC-2: | |
| 34590-94-8 Dipropylene glycol monomethyl ether | 1700* ppm |
| · PAC-3: | |
| 34590-94-8 Dipropylene glycol monomethyl ether | 9900** ppm |

7 Handling and storage

· Handling:

- Precautions for safe handling No special precautions are necessary if used correctly.
- · Information about protection against explosions and fires: Keep ignition sources away Do not smoke.
- · Conditions for safe storage, including any incompatibilities

· Storage:

- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.

· Storage class: 10

(Contd. on page 3)

Printing date 08/17/2018

Reviewed on 08/17/2018

(Contd. of page 2)

Trade name: ACL 140901 red, quick drying ink, red, premium 809

• *Specific end use(s) No further relevant information available.*

8 Exposure controls/personal protection

• Additional information about design of technical systems: No further data; see item 7.

· Control parameters

• Components with limit values that require monitoring at the workplace:

34590-94-8 Dipropylene glycol monomethyl ether

- PEL Long-term value: 600 mg/m³, 100 ppm Skin
- REL Short-term value: 900 mg/m³, 150 ppm Long-term value: 600 mg/m³, 100 ppm Skin
- TLV Short-term value: 909 mg/m³, 150 ppm Long-term value: 606 mg/m³, 100 ppm Skin

• *Additional information:* The lists that were valid during the creation were used as basis.

· Exposure controls

· Personal protective equipment:

- · General protective and hygienic measures: Wash hands before breaks and at the end of work.
- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Goggles recommended during refilling.

| Information on basic physic General Information | cal and chemical properties | |
|--|-----------------------------|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Blue | |
| Odor: | Characteristic | |
| Odor threshold: | Not determined. | |
| pH-value: | Not determined. | |

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 red, quick drying ink, red, premium 809

| | | (Contd. of page |
|---------------------------------------|--|-----------------|
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 190 °C (374 °F) | |
| Flash point: | 75 °C (167 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 270 °C (518 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Not determined. | |
| Explosion limits: | | |
| Lower: | 1.1 Vol % | |
| Upper: | 14 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 0.4 hPa (0.3 mm Hg) | |
| Density at 20 °C (68 °F): | 0.95 g/cm³ (7.92775 lbs/gal) | |
| Bulk density at 20 °C (68 °F): | $- kg/m^3$ | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | r): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Solvent content: | | |
| Organic solvents: | 80-90 % | |
| VOC content: | 80-90 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

· Reactivity No further relevant information available.

· Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

(Contd. on page 5)

US -

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 red, quick drying ink, red, premium 809

(Contd. of page 4)

 \cdot Additional toxicological information:

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

· Toxicity

- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

· Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

| · UN-Number | | |
|------------------------------|---------------------|--|
| ·DOT | UN1993 | |
| · UN proper shipping name | - | |
| · Transport hazard class(es) | | |
| ·DOT | | |
| · Class | 3 Flammable liquids | |
| · Label | 3 | |
| · Packing group | | |
| · DOT | III | |
| · Environmental hazards: | Not applicable. | |
| • Marine pollutant: | Yes (DOT) | |

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 red, quick drying ink, red, premium 809

(Contd. of page 5)

· Special precautions for user

Not applicable.

• Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture \cdot Sara

• Section 355 (extremely hazardous substances):

None of the ingredients is listed.

• Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

• TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

·NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

• GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

• Hazard pictograms Void

- · Signal word Warning
- · Hazard statements
- *Combustible liquid.*
- Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Wear protective gloves/protective clothing/eye protection/face protection.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to

• Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Contact: Sales: +43 (7242) 66 104

Printing date 08/17/2018

Reviewed on 08/17/2018

Trade name: ACL 140901 red, quick drying ink, red, premium 809

| | (Contd. of page |
|--|-----------------------------------|
| Date of preparation / last revision 08/17/2018 / - | |
| Abbreviations and acronyms: | |
| RID: Règlement international concernant le transport des marchandises dangereuses par chemin a | de fer (Regulations Concerning ti |
| International Transport of Dangerous Goods by Rail) | ae jei (negatations concerning i |
| IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA) | |
| ICAO: International Civil Aviation Organisation | |
| ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO) | |
| DOT: US Department of Transportation | |
| ACGIH: American Conference of Governmental Industrial Hygienists | |
| EINECS: European Inventory of Existing Commercial Chemical Substances | |
| ELINCS: European List of Notified Chemical Substances | |
| CAS: Chemical Abstracts Service (division of the American Chemical Society) | |
| NFPA: National Fire Protection Association (USA) | |
| HMIS: Hazardous Materials Identification System (USA) | |
| VOC: Volatile Organic Compounds (USA, EU) | |
| PBT: Persistent, Bioaccumulative and Toxic | |
| vPvB: very Persistent and very Bioaccumulative | |
| NIOSH: National Institute for Occupational Safety | |
| OSHA: Occupational Safety & Health | |
| TLV: Threshold Limit Value | |
| PEL: Permissible Exposure Limit | |
| REL: Recommended Exposure Limit | |
| Flam. Liq. 4: Flammable liquids – Category 4 | |
| * Data compared to the previous version altered. | |
| | |