Trodat GmbH 4600 Wels



Date	printed 11.11.2019, Revision 17.01.20	19 Version 01 Page 1	/9
SEC	TION 1: Identification of the sub	stance/mixture and of the company/undertaking	
1.1	Product identifier		
		7012 Trodat Multi Color Impression Stamp ink Hot Pink	
1.2	Relevant identified uses of the	substance or mixture and uses advised against	
1.2.1	Relevant uses		
		Stamp colour	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the sa	ifety data sheet	
	Company	Trodat GmbH Linzerstr. 156 4600 Wels / AUSTRIA Phone +43 (0) 7242 239 - 0 Fax +43 (0) 7242 239 - 940 Homepage www.trodat.net E-mail trodat@trodat.net	
	Address enquiries to		
	Technical information	trodat@trodat.net	
	Safety Data Sheet	sdb@chemiebuero.de	
1.4	Emergency telephone number		
	Company	+43 (0) 7242 239 - 0 Mo-Fr 8:00 - 16:00	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance	or mixture [REGULATION (EC) No 1272/2008]	
2.1		Skin Irrit. 2: H315 Causes skin irritation. Eye Irrit. 2: H319 Causes serious eye irritation. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.	
2.2	Label elements		
		The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (Cl	LP).
	Hazard pictograms		
	Signal word	WARNING	
	Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.	
	Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice / attention. P337+P313 If eye irritation persists: Get medical advice / attention. P501 Dispose of contents/container in accordance with local/national regulation. 	
2.3	Other hazards		
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	Further hazards were not determined with the current level of knowledge.	

Safety Data Sheet 1907/2006/EC - REACH (GB) 7012 Trodat Multi Color Impression Stamp ink Hot Pink

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019

Version 01 Page 2 / 9

	Product-type:		
	3.2 The product is a mixture.		
Range [%] Substance			
25 - 50 Glycerol			
	CAS: 56-81-5, EIN	ECS/ELINCS: 200-289-5	
1 - 2,5 Methine dye mixture			
	GHS/CLP: Skin Co	orr. 1B: H314	
	0,25 - < 2,5 Xanthene dye		
	,	EINECS/ELINCS: 247-906-4	
	GHS/CLP: Skin Co	orr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410	
	Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1% For full text of H-statements: see SECTION 16.	
EC	TION 4: First aid measures		
	Description of first old measures		
.1	Description of first aid measures		
	General information	Take off contaminated clothing and wash before reuse.	
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek medical treatment.	
	Skin contact	When in contact with the skin, clean with soap and water.	
	Skill contact	Consult a doctor if skin irritation persists.	
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion	Seek medical advice immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.	
.2	Most important symptoms and e	ffects, both acute and delaved	
		No information available.	
.3	Indication of any immediate med	lical attention and special treatment needed	
		Treat symptomatically.	
FC	TION 5: Fire-fighting measures		
.1	Extinguishing media		
	Suitable extinguishing media	Extinguish blanket. Carbon dioxide. Foam.	
	Extinguishing media that must not be used	Full water jet.	
2	Special hazards arising from the	substance or mixture	
		Risk of formation of toxic pyrolysis products. Nitrogen oxides (NOx). Carbon monoxide (CO)	
.3	Advice for firefighters		
	Autor for menginers	Use self-contained breathing apparatus.	
		Fire residues and contaminated firefighting water must be disposed of in accordance within	
		the local regulations.	

SECTION 3: Composition / Information on ingredients



Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019 Version 01 Page 3 / 9 SECTION 6: Accidental release measures 6.1 Personal precautions, protective equipment and emergency procedures High risk of slipping due to leakage/spillage of product. Ensure adequate ventilation. Keep away from all sources of ignition. Wear suitable protective equipment. For personal protection see SECTION 8. 6.2 **Environmental precautions** Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. 6.3 Methods and material for containment and cleaning up Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations. 64 Reference to other sections See SECTION 8+13 SECTION 7: Handling and storage 7.1 Precautions for safe handling Use only in well-ventilated areas. Avoid contact with eyes and skin. Use personal protective equipment. Take off contaminated clothing and wash before reuse. Do not eat, drink, smoke or take drugs at work. Wash face and/or hands before break and end of work. Use barrier skin cream. 7.2 Conditions for safe storage, including any incompatibilities Keep only in original container. Prevent penetration into the ground. Provide floor with bunding. Do not store together with oxidizing agents. Keep container in a well-ventilated place. Keep container tightly closed.

7.3 Specific end use(s)

See product use, SECTION 1.2

Protect from heat/overheating.

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable





Page 4 / 9

Version 01

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019
--

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	Safety glasses. (EN 166:2001)
Hand protection	0,5 mm, Butyl rubber, >480 min (EN 374-1/-2/-3). 0,35 mm, Neoprene, >480 min (EN 374-1/-2/-3). 0,5 mm, Viton, >240 min (EN 374-1/-2/-3). The details concerned are recommendations. Please contact the glove supplier for further information.
Skin protection	Protective clothing (EN 340)
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Not required under normal conditions.
Thermal hazards	not applicable
Delimitation and monitoring of the environmental exposition	Protect the environment by applying appropriate control measures to prevent or limit emissions.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

	Form	liquid
	Color	pink
	Odor	characteristic
	Odour threshold	No information available.
	pH-value	No information available.
	pH-value [1%]	No information available.
	Boiling point [°C]	100
	Flash point [°C]	101
	Flammability (solid, gas) [°C]	not applicable
	Lower explosion limit	0,9 Vol. %
	Upper explosion limit	12,6 Vol. %
	Oxidising properties	no
	Vapour pressure/gas pressure [kPa]	2,3 (20 °C)
	Density [g/ml]	No information available.
	Bulk density [kg/m ³]	not applicable
	Solubility in water	partially miscible
	Partition coefficient [n-octanol/water]	No information available.
	Viscosity	No information available.
	Relative vapour density determined in air	No information available.
	Evaporation speed	No information available.
	Melting point [°C]	No information available.
	Autoignition temperature [°C]	No information available.
	Decomposition temperature [°C]	No information available.
2	Other information	

Ignition Temperature: 371 °C

Safety Data Sheet 1907/2006/EC - REACH (GB) 7012 Trodat Multi Color Impression Stamp ink Hot Pink

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No dangerous reactions known if used as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Substance	
Glycerol, CAS: 56-81-5	
I D50. oral. Rat: 12 600 mg/kg.	

Serious eye damage/irritation	Irritant Calculation method
Skin corrosion/irritation	Irritant Calculation method
Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
General remarks	
	Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

Substance
Glycerol, CAS: 56-81-5
LC50, (96h), fish: > 1000 mg/l.



Version 01 Page 5 / 9



Version 01

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019

Page 6 / 9

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.
Behaviour in sewage plant	No information available.
Biological degradability	No information available.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

not applicable

12.6 Other adverse effects

Ecological data of complete product are not available. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Product	
		Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
	Waste no. (recommended)	080111*
	Contaminated packaging	
		Packaging that cannot be cleaned should be disposed of as for product. Uncontaminated packaging may be taken for recycling.
	Waste no. (recommended)	150110*
SEC	TION 14: Transport information	
14.1	UN number	
	Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable



Page 7 / 9

Version 01

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019

14.2	UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14 3	Transport hazard class(es)	
14.0	Transport huzard orass(cs) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	
14.7	Transport in bulk according to An	nex II of MARPOL and the IBC Code

not applicable

Trodat GmbH 4600 Wels

Date printed 11.11.2019, Revision 17.01.2019

www.chemiebuero.de, Phone +49 (0)941-646 353-0, 191023

Classification procedure

SECTION 15: Regulatory information	<u>ו</u>
5.1 Safety, health and environmen	tal regulations/legislation specific for the substance or mixture
EEC-REGULATIONS	1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014
TRANSPORT-REGULATIONS	ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)
NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011).
- Observe employment restriction for people	 Observe employment restrictions for young people. Observe employment restrictions for mothers-to-be and nursing mothers.
- VOC (2010/75/CE)	35%
5.2 Chemical safety assessment	
	For this product a chemical safety assessment has not been carried out.
SECTION 16: Other information	
6.1 Hazard statements (SECTION 03)	
	H410 Very toxic to aquatic life with long lasting effects.
	H400 Very toxic to aquatic life. H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
6.2 Abbreviations and acronyms:	
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par
	Route
	RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
	ADN = Accord européen relatif au transport international des marchandises dangereuses par
	voie de navigation intérieure
	ATE = acute toxicity estimate CAS = Chemical Abstracts Service
	CLP = Classification, Labelling and Packaging
	DMEL = Derived Minimum Effect Level
	DNEL = Derived No Effect Level EC50 = Median effective concentration
	ECB = European Chemicals Bureau
	EEC = European Economic Community
	EINECS = European Inventory of Existing Commercial Chemical Substances
	ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC-Code = International Code for the Construction and Equipment of Ships carrying
	Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50%
	IMDG = International Maritime Code for Dangerous Goods
	IUCLID = International Uniform ChemicaL Information Database
	LC50 = Lethal concentration, 50% LD50 = Median lethal dose
	LC0 = lethal concentration, 0%
	LOAEL = lowest-observed-adverse-effect level
	MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level
	NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration
	PBT = Persistent, Bioaccumulative and Toxic substance
	PNEC = Predicted No-Effect Concentration
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant
	TLV®/TWA = Threshold limit value – time-weighted average
	TLV®STEL = Threshold limit value – short-time exposure limit
	VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative
	vi vo – vory i cisistent and very bloaccumulative
6.3 Other information	

Skin Irrit. 2: H315 Causes skin irritation. (Calculation method) Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)



Page 8 / 9

Version 01





e printed 11.11.2019, Revision 17.01.2019		Version 01	Page 9
Modified position	SECTION 15 deleted: EUH210 Safety data sheet available	on request.	
	SECTION 15 deleted: Product treated with biocide [x].		
	SECTION 2 been added: Aquatic Chronic 3		
	SECTION 2 deleted: none		
	SECTION 2 been added: Skin Irrit. 2		
	SECTION 2 been added: exclamation mark		
	SECTION 2 been added: WARNING		
	SECTION 2 been added: H315 Causes skin irritation.		
	SECTION 2 been added: H319 Causes serious eye irritation	n.	
	SECTION 2 been added: P501 Dispose of contents/contain local/national regulation.	er in accordance with	
	SECTION 2 been added: H412 Harmful to aquatic life with	ong lasting effects.	
	SECTION 2 been added: P273 Avoid release to the environ	iment.	
	SECTION 2 been added: P280 Wear protective gloves / eye	e protection / face pro	tection.
	SECTION 2 been added: P305+P351+P338 IF IN EYES: R several minutes. Remove contact lenses, if present and east	,	
	SECTION 2 been added: P332+P313 If skin irritation occur	s: Get medical advice	/ attention
	SECTION 2 been added: P337+P313 If eye irritation persis	ts: Get medical advice	e / attentio
	SECTION 2 been added: Eye Irrit. 2		
	SECTION 16 been added: Calculation method		
	Copyright: Chemiebüro®		圓譏



